

BROOME – WESTERN AUSTRALIA

Times and Heights of High and Low Waters

Local Time

2026

SUNRISE 5:18 am - 5:37 am
SUNSET 6:30 pm - 6:33 pm

SUNRISE 5:37 am - 5:49 am
SUNSET 6:17 pm - 6:31 pm

SUNRISE 5:49 am - 5:57 am
SUNSET 5:53 pm - 6:16 pm

SUNRISE 5:57 am - 6:04 am
SUNSET 5:32 pm - 5:52 pm

JANUARY

Time	m	Time	m
1 0224 3.40 0832 7.03 TH 1430 3.96 2039 8.04		16 0334 3.72 0952 6.88 FR 1545 4.30 2149 7.57	
2 0330 2.76 0940 7.57 FR 1541 3.48 2143 8.57		17 0416 3.14 1030 7.43 SA 1628 3.76 2228 8.11	
3 0426 2.16 1031 8.13 SA 1639 2.93 2235 9.06		18 0452 2.62 1100 7.92 SU 1704 3.24 2300 8.58	
4 0515 1.68 1116 8.60 SU 1729 2.44 2320 9.41		19 0526 2.17 1130 8.33 MO 1738 2.79 2330 8.96	
5 0559 1.39 1157 8.95 MO 1813 2.09		20 0558 1.82 1159 8.68 TU 1811 2.41	
6 0001 9.58 0639 1.30 TU 1235 9.14 1853 1.93		21 0000 9.22 0630 1.58 WE 1227 8.96 1843 2.13	
7 0040 9.54 0715 1.41 WE 1311 9.18 1930 1.98		22 0029 9.37 0700 1.47 TH 1254 9.16 1914 1.98	
8 0116 9.29 0749 1.70 TH 1346 9.05 2005 2.24		23 0059 9.38 0729 1.51 FR 1323 9.25 1944 1.97	
9 0152 8.86 0821 2.15 FR 1421 8.77 2039 2.65		24 0130 9.21 0757 1.72 SA 1352 9.21 2014 2.14	
10 0228 8.30 0850 2.70 SA 1456 8.37 2112 3.18		25 0201 8.86 0824 2.10 SU 1423 8.99 2045 2.48	
11 0302 7.65 0917 3.32 SU 1530 7.88 2146 3.75		26 0236 8.31 0853 2.65 MO 1457 8.62 2119 3.00	
12 0342 6.98 0946 3.97 MO 1613 7.36 2236 4.31		27 0315 7.61 0925 3.32 TU 1536 8.08 2203 3.65	
13 0440 6.35 1030 4.61 TU 1717 6.88		28 0405 6.82 1006 4.08 WE 1631 7.46 2341 4.27	
14 0039 4.61 0645 5.99 WE 1245 5.01 1910 6.70		29 0600 6.17 1154 4.77 TH 1830 7.03	
15 0232 4.29 0857 6.31 TH 1441 4.80 2055 7.03		30 0209 4.10 0837 6.38 FR 1418 4.63 2043 7.33	
		31 0337 3.35 0953 7.21 SA 1550 3.89 2157 8.12	

FEBRUARY

Time	m	Time	m
1 0432 2.50 1038 8.06 SU 1645 3.00 2244 8.89		16 0444 2.76 1048 7.98 MO 1656 3.15 2250 8.63	
2 0515 1.78 1115 8.79 MO 1730 2.21 2322 9.46		17 0514 2.11 1113 8.60 TU 1727 2.46 2318 9.18	
3 0554 1.26 1149 9.31 TU 1808 1.65 2356 9.78		18 0544 1.58 1139 9.14 WE 1758 1.87 2345 9.58	
4 0629 1.01 1220 9.64 WE 1843 1.36		19 0613 1.19 1205 9.57 TH 1828 1.42	
5 0028 9.85 0659 1.01 TH 1250 9.76 1914 1.32		20 0014 9.82 0641 0.99 FR 1231 9.87 1858 1.16	
6 0059 9.69 0727 1.24 FR 1319 9.67 1943 1.53		21 0042 9.87 0708 1.02 SA 1258 10.00 1926 1.14	
7 0128 9.33 0751 1.64 SA 1346 9.39 2009 1.94		22 0111 9.69 0734 1.27 SU 1325 9.90 1953 1.40	
8 0156 8.81 0813 2.18 SU 1413 8.96 2032 2.48		23 0141 9.26 0800 1.74 MO 1354 9.56 2021 1.91	
9 0222 8.18 0832 2.82 MO 1438 8.40 2055 3.13		24 0213 8.60 0824 2.41 TU 1424 8.98 2050 2.66	
10 0248 7.47 0849 3.51 TU 1503 7.74 2119 3.85		25 0245 7.75 0849 3.25 WE 1456 8.19 2123 3.59	
11 0317 6.70 0907 4.26 WE 1534 7.02 2155 4.62		26 0325 6.78 0917 4.19 TH 1539 7.27 2223 4.58	
12 0403 5.92 0926 5.04 TH 1650 6.33		27 0507 5.86 1031 5.17 FR 1807 6.50	
13 0200 4.96 0938 5.81 FR 1435 5.38 2058 6.44		28 0238 4.45 0915 6.36 SA 1454 4.79 2113 7.15	
14 0338 4.24 1001 6.57 SA 1549 4.66 2150 7.21			
15 0413 3.48 1024 7.30 SU 1624 3.89 2222 7.96			

MARCH

Time	m	Time	m
1 0348 3.46 0957 7.42 SU 1559 3.70 2201 8.15		16 0350 3.70 1000 7.30 MO 1602 3.88 2159 7.86	
2 0428 2.51 1030 8.37 MO 1641 2.68 2237 8.97		17 0418 2.90 1020 8.11 TU 1631 3.00 2226 8.62	
3 0503 1.75 1100 9.13 TU 1717 1.85 2309 9.54		18 0446 2.16 1044 8.86 WE 1701 2.16 2253 9.26	
4 0536 1.24 1129 9.65 WE 1751 1.30 2339 9.84		19 0516 1.55 1109 9.51 TH 1732 1.45 2322 9.72	
5 0606 0.99 1156 9.96 TH 1821 1.03		20 0546 1.12 1135 10.01 FR 1803 0.93 2351 9.98	
6 0007 9.91 0633 0.99 FR 1222 10.05 1849 1.00		21 0615 0.92 1201 10.31 SA 1833 0.69	
7 0034 9.77 0658 1.19 SA 1247 9.95 1914 1.20		22 0020 9.99 0643 0.97 SU 1229 10.38 1902 0.76	
8 0100 9.47 0719 1.55 SU 1311 9.67 1936 1.58		23 0050 9.75 0710 1.27 MO 1258 10.17 1930 1.15	
9 0125 9.01 0739 2.04 MO 1334 9.22 1958 2.11		24 0121 9.25 0736 1.82 TU 1328 9.66 2000 1.84	
10 0149 8.43 0757 2.64 TU 1356 8.65 2017 2.77		25 0154 8.51 0801 2.59 WE 1400 8.89 2029 2.76	
11 0212 7.74 0812 3.32 WE 1416 7.97 2038 3.54		26 0230 7.59 0829 3.51 TH 1434 7.94 2104 3.82	
12 0234 6.98 0824 4.07 TH 1436 7.21 2100 4.37		27 0316 6.61 0900 4.52 FR 1528 6.90 2230 4.83	
13 0258 6.18 0826 4.84 FR 1454 6.43 2146 5.22 2358 5.30		28 0536 5.88 1215 5.33 SA 1857 6.38	
14 0036 5.30 1117 5.78 SA 1514 5.62 2049 6.15		29 0240 4.39 0901 6.70 SU 1459 4.46 2104 7.26	
15 0324 4.53 0948 6.49 SU 1536 4.77 2131 7.02		30 0330 3.46 0935 7.71 MO 1544 3.39 2144 8.16	
		31 0405 2.63 1004 8.58 TU 1620 2.47 2215 8.86	

APRIL

Time	m	Time	m
1 0438 1.99 1032 9.24 WE 1654 1.77 2245 9.32		16 0409 2.48 1004 8.90 TH 1628 2.06 2221 9.04	
2 0509 1.58 1100 9.68 TH 1725 1.32 2315 9.56		17 0442 1.88 1032 9.58 FR 1702 1.34 2253 9.49	
3 0538 1.39 1126 9.90 FR 1754 1.10 2342 9.61		18 0515 1.46 1101 10.07 SA 1736 0.86 2326 9.72	
4 0603 1.39 1150 9.95 SA 1820 1.10		19 0546 1.26 1131 10.33 SU 1809 0.69 2359 9.70	
5 0008 9.50 0628 1.54 SU 1215 9.84 1844 1.27		20 0618 1.31 1203 10.31 MO 1841 0.86	
6 0034 9.25 0649 1.83 MO 1238 9.57 1907 1.61		21 0031 9.43 0648 1.62 TU 1236 9.99 1913 1.35	
7 0059 8.87 0709 2.23 TU 1301 9.16 1929 2.10		22 0108 8.92 0719 2.16 WE 1311 9.39 1946 2.10	
8 0124 8.37 0729 2.75 WE 1324 8.62 1950 2.72		23 0146 8.23 0752 2.91 TH 1350 8.56 2024 3.01	
9 0148 7.77 0747 3.36 TH 1346 7.99 2014 3.44		24 0233 7.44 0830 3.78 FR 1439 7.62 2115 3.95	
10 0215 7.10 0804 4.05 FR 1410 7.29 2041 4.21		25 0340 6.71 0935 4.64 SA 1605 6.79 2317 4.58	
11 0249 6.38 0821 4.78 SA 1441 6.55 2138 4.97		26 0535 6.38 1214 4.90 SU 1832 6.59	
12 0448 5.78 0915 5.55 SU 1830 6.09		27 0137 4.31 0802 6.92 MO 1419 4.21 2021 7.18	
13 0209 4.75 0849 6.37 MO 1445 4.83 2040 6.81		28 0245 3.67 0853 7.72 TU 1510 3.36 2108 7.85	
14 0300 3.98 0912 7.23 TU 1521 3.90 2117 7.64		29 0328 3.06 0928 8.42 WE 1549 2.62 2145 8.38	
15 0335 3.21 0937 8.09 WE 1555 2.95 2149 8.40		30 0404 2.58 0959 8.94 TH 1624 2.06 2217 8.74	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide
Times are in local standard time (Time Zone UTC +08:00)

 **BROOME VISITOR CENTRE**
www.visitbroome.com.au

Moon Phase Symbols

● New Moon ● First Quarter
○ Full Moon ● Last Quarter



Gantheaume Point dinosaur footprints visible on tides less than 2.16m. Tides can change quickly. Plan ahead.



Staircase to the Moon viewing
www.visitbroome.com.au/info/staircase-to-the-moon-dates



Catalina Flying Boat Wrecks (~1 hour walk each way)
visible on tides less than 0.86m
www.visitbroome.com.au/activities/broome-catalina-flying-boat-wrecks

Check sunrise/sunset times for your safety/optimal viewing. Sunlight hours are needed for footprints / boat wrecks. www.timeanddate.com/sun/australia/broome

BROOME – WESTERN AUSTRALIA

Times and Heights of High and Low Waters

Local Time

2026

SUNRISE 6.04 am - 6.14 am
SUNSET 5.22 pm - 5.31 pm

SUNRISE 6.15 am - 6.22 am
SUNSET 5.22 pm - 5.26 pm

SUNRISE 6.18 am - 6.22 am
SUNSET 5.26 pm - 5.36 pm

SUNRISE 5.59 am - 6.18 am
SUNSET 5.36 pm - 5.43 pm

MAY

JUNE

JULY

AUGUST

Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0437 2.26		16 0402 2.46		1 0512 2.67		16 0508 2.32		1 0535 2.78		16 0556 1.87		1 0012 8.78		16 0030 9.78	
1028 9.27		0955 9.28		1102 8.87		1059 9.38		1128 8.60		1145 9.44		0630 1.87		0656 0.81	
FR 1656 1.70		SA 1630 1.56		MO 1731 1.97		TU 1740 1.40		WE 1755 2.08		TH 1822 1.16		SA 1216 9.13		SU 1241 9.68	
2248 8.95		2226 8.92		2332 8.37		2339 8.71		2358 8.22				1845 1.41		1910 0.92	
2 0507 2.09		17 0443 2.05		2 0542 2.59		17 0554 2.08		2 0607 2.59		17 0016 9.09		2 0038 9.00		17 0100 9.72	
1056 9.45		1031 9.72		1131 8.89		1143 9.48		1158 8.72		10637 1.51		0659 1.67		0726 0.98	
SA 1725 1.52		SU 1710 1.16		TU 1800 1.99		WE 1824 1.39		TH 1827 1.99		FR 1224 9.55		SU 1245 9.17		MO 1312 9.33	
2317 9.01		2304 9.13								1900 1.10		1913 1.40		1936 1.31	
3 0534 2.04		18 0522 1.83		3 0002 8.34		18 0022 8.80		3 0028 8.33		18 0053 9.26		3 0104 9.12		18 0129 9.44	
1122 9.49		1108 9.93		0610 2.60		0638 2.00		0638 2.47		0715 1.41		0727 1.62		0754 1.40	
SU 1752 1.49		MO 1748 1.04		WE 1200 8.82		TH 1227 9.39		FR 1228 8.76		SA 1301 9.42		MO 1313 9.07		TU 1341 8.80	
2345 8.95		2343 9.14		1830 2.11		1907 1.55		1858 1.98		1935 1.27		1939 1.54		2000 1.87	
4 0600 2.10		19 0600 1.80		4 0032 8.25		19 0104 8.77		4 0057 8.40		19 0129 9.23		4 0131 9.10		19 0156 8.96	
1147 9.41		1146 9.89		0639 2.71		0721 2.10		0709 2.43		0750 1.56		0755 1.74		0818 2.01	
MO 1817 1.62		TU 1827 1.21		TH 1230 8.67		FR 1311 9.11		SA 1258 8.71		SU 1337 9.07		TU 1343 8.78		WE 1409 8.14	
				1900 2.32		1948 1.86		1928 2.05		2007 1.64		2005 1.86		2021 2.55	
5 0013 8.79		20 0023 8.97		5 0103 8.09		20 0146 8.62		5 0126 8.42		20 0202 9.00		5 0200 8.92		20 0221 8.34	
0624 2.26		0638 2.00		0708 2.90		0803 2.36		0740 2.49		0824 1.93		0823 2.04		0842 2.73	
TU 1213 9.21		WE 1226 9.59		FR 1300 8.43		SA 1355 8.67		SU 1330 8.55		MO 1414 8.54		WE 1415 8.31		TH 1437 7.39	
1843 1.88		1906 1.63		1931 2.60		2029 2.29		1959 2.22		2037 2.18		2032 2.34		2040 3.30	
6 0040 8.52		21 0104 8.64		6 0136 7.90		21 0230 8.35		6 0157 8.36		21 0236 8.59		6 0230 8.57		21 0246 7.61	
0647 2.54		0716 2.38		0740 3.17		0846 2.75		0812 2.63		0857 2.48		0854 2.53		0906 3.52	
WE 1239 8.89		TH 1308 9.08		SA 1334 8.12		SU 1441 8.13		MO 1403 8.28		TU 1448 7.89		TH 1450 7.67		FR 1507 6.59	
1908 2.27		1946 2.22		2005 2.93		2110 2.80		2030 2.49		2105 2.82		2101 2.97		2058 4.08	
7 0108 8.16		22 0150 8.20		7 0213 7.66		22 0315 8.01		7 0230 8.21		22 0310 8.05		7 0304 8.05		22 0315 6.83	
0712 2.93		0759 2.93		0815 3.49		0932 3.23		0846 2.87		0930 3.13		0930 3.18		0937 4.35	
TH 1305 8.47		FR 1356 8.41		1414 7.73		1530 7.54		TH 1441 7.89		WE 1527 7.18		FR 1533 6.92		SA 1557 5.80	
1935 2.77		2032 2.89		2044 3.28		2154 3.34		2103 2.86		2133 3.52		2136 3.71		2116 4.88	
8 0138 7.72		23 0241 7.72		8 0254 7.42		23 0403 7.62		8 0307 7.98		23 0347 7.44		8 0348 7.40		23 0423 6.05	
0736 3.41		0848 3.53		0859 3.82		1026 3.69		0925 3.19		1009 3.80		1028 3.92		1347 4.80	
FR 1334 7.96		SA 1452 7.71		1502 7.32		1629 6.99		WE 1525 7.40		TH 1615 6.49		SA 1652 6.16		SU 2119 5.68	
2005 3.33		2128 3.53		2130 3.65		2245 3.86		2142 3.32		2208 4.22		2241 4.48			
9 0214 7.23		24 0341 7.30		9 0345 7.21		24 0503 7.26		9 0351 7.68		24 0439 6.82		9 0522 6.77		24 0252 5.14	
0805 3.96		0954 4.07		0956 4.10		1140 4.02		1015 3.56		1136 4.36		1316 4.14		0853 6.19	
SA 1409 7.39		SU 1602 7.12		TU 1607 6.94		WE 1747 6.60		TH 1625 6.89		FR 1748 5.95		SU 1938 6.03		MO 1524 4.10	
2043 3.92		2242 3.99		2231 3.94		2358 4.23		2233 3.81		2345 4.82				2146 6.44	
10 0300 6.75		25 0454 7.04		10 0450 7.10		25 0620 7.05		10 0452 7.37		25 0623 6.41		10 0131 4.62		25 0343 4.37	
0846 4.54		1125 4.31		1120 4.19		1314 4.01		1145 3.83		1358 4.30		0758 6.84		0940 6.99	
SU 1505 6.81		MO 1733 6.81		WE 1738 6.77		TH 1920 6.53		FR 1801 6.54		SA 2026 6.02		MO 1502 3.49		TU 1558 3.36	
2146 4.44				2353 4.06								2125 6.81		2209 7.17	
11 0419 6.41		26 0007 4.14		11 0615 7.22		26 0127 4.33		11 0003 4.17		26 0219 4.76		11 0320 3.91		26 0413 3.61	
1019 4.99		0626 7.08		1301 3.86		0745 7.10		0625 7.23		0838 6.62		0931 7.66		1010 7.74	
MO 1701 6.44		TU 1303 4.11		TH 1908 6.94		FR 1431 3.68		SA 1333 3.64		SU 1517 3.79		TU 1605 2.61		WE 1628 2.67	
2357 4.58		1910 6.90		2039 6.76		2039 6.76		1942 6.61		2138 6.59		2214 7.72		2232 7.84	
12 0619 6.51		27 0131 4.01		12 0117 3.90		27 0245 4.12		12 0145 4.10		27 0337 4.23		12 0422 2.94		27 0442 2.89	
1300 4.71		0747 7.43		0730 7.61		0852 7.38		0757 7.46		0941 7.19		1021 8.54		1037 8.39	
TU 1905 6.69		WE 1421 3.61		FR 1415 3.25		SA 1526 3.26		SU 1453 3.11		MO 1604 3.21		WE 1652 1.79		TH 1657 2.07	
		2021 7.24		2018 7.32		2134 7.13		2107 7.05		2217 7.17		2252 8.55		2257 8.44	
13 0130 4.19		28 0238 3.70		13 0227 3.54		28 0341 3.77		13 0307 3.68		28 0421 3.63		13 0508 2.03		28 0511 2.23	
0748 7.12		0842 7.86		0831 8.14		0942 7.75		0915 7.97		1020 7.78		1101 9.23		1103 8.90	
WE 1416 3.93		TH 1512 3.07		SA 1514 2.60		SU 1609 2.85		MO 1558 2.48		TU 1642 2.67		TH 1732 1.18		FR 1726 1.57	
2016 7.29		2110 7.62		2116 7.78		2217 7.50		2208 7.67		2249 7.69		2328 9.18		2321 8.94	
14 0232 3.60		29 0326 3.36		14 0327 3.10		29 0424 3.40		14 0415 3.06		29 0457 3.08		14 0547 1.34		29 0540 1.67	
0838 7.89		0923 8.25		0925 8.66		1021 8.10		1015 8.58		1052 8.28		1136 9.65		1130 9.28	
TH 1507 3.05		FR 1552 2.62		SU 1605 2.03		MO 1646 2.51		TU 1652 1.89		WE 1715 2.21		FR 1808 0.82		SA 1754 1.21	
2105 7.94		2151 7.94		2208 8.18		2254 7.81		2256 8.26		2318 8.13				2345 9.35	
15 0320 3.00		30 0405 3.06		15 0419 2.67		30 0501 3.06		15 0509 2.41		30 0529 2.59		15 0000 9.60		30 0609 1.23	
0917 8.65		0959 8.55		1013 9.10		1056 8.39		1102 9.10		1121 8.68		0624 0.92		1156 9.51	
FR 1549 2.22		SA 1628 2.28		MO 1654 1.62		TU 1722 2.25		WE 1740 1.43		TH 1746 1.84		SA 1209 9.79		SU 1822 1.01	
2146 8.51		2227 8.18		2255 8.50		2328 8.05		2338 8.75		2345 8.49		1841 0.74			
		31 0440 2.83								31 0600 2.18				31 0011 9.63	
		1031 8.75								1149 8.96				0637 0.98	
		SU 1700 2.07								ER 1816 1.57				MO 1223 9.57	
		2300 8.32												1848 1.01	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

 **BROOME VISITOR CENTRE**
www.visitbroome.com.au

Moon Phase Symbols

● New Moon ● First Quarter
○ Full Moon ● Last Quarter



Gantheaume Point dinosaur footprints visible on tides less than 2.16m. Tides can change quickly. Plan ahead.



Staircase to the Moon viewing
www.visitbroome.com.au/info/staircase-to-the-moon-dates



Catalina Flying Boat Wrecks (~1 hour walk each way)

visible on tides less than 0.86m
www.visitbroome.com.au/activities/broome-catalina-flying-boat-wrecks

Check sunrise/sunset times for your safety/optimal viewing. Sunlight hours are needed for footprints / boat wrecks. www.timeanddate.com/sun/australia/broome

Check sunrise/sunset times for your safety/optimal viewing. Sunlight hours are needed for footprints / boat wrecks. www.timeanddate.com/sun/australia/broome