

BROOME – WESTERN AUSTRALIA

LAT 18° 00' S LONG 122° 12' E

Times and Heights of High and Low Waters

2027

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0345 7.35 1001 3.62 FR 1619 7.70 2248 3.96		16 0250 7.78 0906 3.16 SA 1515 8.10 2134 3.52		1 0429 6.13 1004 4.85 MO 1711 6.60		16 0337 6.61 0931 4.34 TU 1600 7.19 2305 4.64		1 0247 7.16 0841 3.89 MO 1456 7.39 2115 4.24		16 0234 7.47 0832 3.60 TU 1441 7.88 2109 3.88		1 0425 5.74 0801 5.46 TH 1816 5.97		16 0603 6.29 1232 4.93 FR 1856 6.70	
2 0449 6.70 1057 4.25 SA 1727 7.26		17 0332 7.16 0942 3.76 SU 1558 7.66 2229 4.04		2 0124 4.81 0813 5.81 TU 1350 5.27 2022 6.51		17 0553 5.85 1202 5.15 WE 1838 6.67		2 0317 6.29 0847 4.73 TU 1529 6.52 2200 5.13		17 0317 6.54 0904 4.53 WE 1534 6.95 2244 4.82		2 0243 4.86 0918 6.27 FR 1511 4.93 2100 6.68		17 0159 4.19 0820 7.05 SA 1430 4.07 2035 7.46	
3 0024 4.28 0631 6.33 SU 1233 4.65 1900 7.07		18 0437 6.51 1036 4.39 MO 1712 7.24		3 0323 4.23 0945 6.51 WE 1538 4.66 2141 7.17		18 0236 4.24 0913 6.46 TH 1448 4.64 2109 7.36		3 0526 5.50 0709 5.48 WE 1133 5.69 1447 5.63 2037 6.11		18 0557 5.83 1225 5.29 TH 1900 6.50		3 0319 4.13 0930 7.05 SA 1536 4.12 2130 7.45		18 0301 3.39 0906 8.00 SU 1523 3.05 2122 8.26	
4 0211 4.08 0822 6.48 MO 1421 4.58 2032 7.27		19 0045 4.28 0655 6.21 TU 1256 4.71 1912 7.17		4 0408 3.53 1018 7.22 TH 1620 3.96 2218 7.86		19 0350 3.25 1000 7.51 FR 1602 3.57 2204 8.38		4 0328 4.58 0954 6.40 TH 1541 4.80 2136 6.93		19 0244 4.28 0906 6.73 FR 1500 4.41 2107 7.44		4 0346 3.42 0950 7.79 SU 1602 3.33 2158 8.13		19 0345 2.65 0943 8.83 MO 1604 2.17 2200 8.87	
5 0319 3.59 0930 6.96 TU 1531 4.17 2134 7.69		20 0230 3.80 0852 6.65 WE 1438 4.35 2052 7.66		5 0442 2.89 1046 7.83 FR 1654 3.32 2249 8.44		20 0435 2.26 1037 8.50 SA 1649 2.50 2245 9.25		5 0358 3.79 1006 7.17 FR 1608 4.01 2204 7.71		20 0337 3.25 0943 7.84 SA 1551 3.24 2151 8.44		5 0414 2.77 1013 8.48 MO 1630 2.58 2224 8.71		20 0422 2.08 1015 9.44 TU 1642 1.52 2234 9.26	
6 0406 3.08 1015 7.47 WE 1619 3.71 2217 8.14		21 0343 3.03 0958 7.43 TH 1556 3.64 2200 8.42		6 0512 2.34 1113 8.35 SA 1724 2.77 2316 8.90		21 0515 1.44 1110 9.32 SU 1730 1.60 2319 9.86		6 0423 3.07 1026 7.88 SA 1635 3.27 2230 8.39		21 0416 2.31 1015 8.82 SU 1631 2.17 2227 9.23		6 0442 2.20 1036 9.08 TU 1659 1.91 2251 9.16		21 0457 1.72 1045 9.81 WE 1716 1.16 2306 9.42	
7 0445 2.62 1052 7.90 TH 1658 3.28 2254 8.53		22 0438 2.23 1044 8.22 FR 1652 2.81 2248 9.15		7 0540 1.90 1138 8.77 SU 1753 2.31 2343 9.23		22 0550 0.89 1142 9.92 MO 1806 0.99 2353 10.17		7 0449 2.44 1048 8.50 SU 1702 2.58 2255 8.93		22 0452 1.57 1045 9.59 MO 1709 1.35 2300 9.75		7 0510 1.76 1100 9.57 WE 1728 1.39 2318 9.46		22 0529 1.59 1115 9.95 TH 1748 1.05 2337 9.40	
8 0519 2.27 1124 8.25 FR 1732 2.92 2325 8.82		23 0524 1.55 1123 8.91 SA 1739 2.07 2330 9.68		8 0607 1.58 1202 9.11 MO 1820 1.95		23 0623 0.65 1213 10.25 TU 1840 0.70		8 0515 1.91 1111 9.04 MO 1730 1.99 2320 9.34		23 0526 1.10 1115 10.09 TU 1743 0.84 2330 9.99		8 0538 1.47 1125 9.91 TH 1757 1.06 2346 9.59		23 0558 1.64 1144 9.89 FR 1817 1.18	
9 0551 2.01 1153 8.50 SA 1803 2.65 2354 9.00		24 0605 1.07 1200 9.44 SU 1820 1.52		9 0008 9.43 0633 1.39 TU 1227 9.36 1847 1.71		24 0024 10.19 0653 0.70 WE 1242 10.32 1911 0.75		9 0543 1.50 1134 9.47 TU 1757 1.52 2345 9.61		24 0557 0.92 1144 10.33 WE 1815 0.66		9 0606 1.37 1151 10.07 FR 1825 0.98		24 0008 9.22 0625 1.85 SA 1213 9.65 1845 1.51	
10 0621 1.86 1220 8.68 SU 1833 2.47		25 0007 9.97 0642 0.85 MO 1235 9.76 1858 1.23		10 0033 9.51 0659 1.34 WE 1250 9.52 1913 1.61		25 0055 9.94 0720 1.01 TH 1311 10.12 1939 1.11		10 0608 1.25 1158 9.79 WE 1824 1.21		25 0000 9.97 0625 1.00 TH 1212 10.32 1844 0.77		10 0015 9.53 0633 1.48 SA 1218 10.03 1853 1.16		25 0038 8.90 0650 2.21 SU 1241 9.24 1911 1.99	
11 0021 9.08 0649 1.81 MO 1247 8.79 1901 2.38		26 0043 9.99 0716 0.90 TU 1309 9.86 1933 1.25		11 0059 9.45 0722 1.44 TH 1315 9.54 1938 1.68		26 0125 9.46 0745 1.55 FR 1339 9.66 2005 1.71		11 0011 9.72 0633 1.16 TH 1221 9.97 1850 1.10		26 0030 9.74 0651 1.29 FR 1240 10.06 1910 1.15		11 0045 9.27 0700 1.80 SU 1247 9.75 1922 1.60		26 0108 8.45 0715 2.69 MO 1308 8.71 1936 2.58	
12 0048 9.07 0715 1.84 TU 1314 8.85 1929 2.39		27 0117 9.73 0747 1.21 WE 1342 9.72 2006 1.55		12 0125 9.23 0746 1.71 FR 1340 9.41 2004 1.94		27 0154 8.79 0807 2.25 SA 1406 9.01 2029 2.48		12 0036 9.68 0658 1.27 FR 1245 9.97 1915 1.21		27 0059 9.31 0715 1.78 SA 1306 9.59 1935 1.73		12 0116 8.78 0727 2.32 MO 1319 9.22 1952 2.28		27 0138 7.92 0738 3.26 TU 1336 8.09 2002 3.24	
13 0115 8.94 0743 1.99 WE 1341 8.82 1957 2.49		28 0152 9.24 0816 1.74 TH 1415 9.34 2037 2.10		13 0153 8.82 0810 2.16 SA 1407 9.10 2030 2.39		28 0221 8.01 0826 3.05 SU 1430 8.23 2051 3.34		13 0103 9.43 0721 1.58 SA 1312 9.77 1941 1.57		28 0127 8.72 0737 2.41 SU 1332 8.95 1958 2.46		13 0151 8.12 0756 3.02 TU 1354 8.49 2026 3.12		28 0211 7.33 0800 3.89 WE 1406 7.43 2033 3.93	
14 0145 8.69 0809 2.25 TH 1409 8.69 2026 2.72		29 0225 8.56 0843 2.43 FR 1446 8.76 2107 2.82		14 0223 8.23 0833 2.76 SU 1436 8.60 2059 3.02		15 0255 7.48 0859 3.50 MO 1509 7.96 2134 3.81		14 0131 8.97 0745 2.09 SU 1339 9.34 2007 2.15		29 0154 8.02 0756 3.13 MO 1356 8.20 2020 3.27		14 0234 7.33 0830 3.86 WE 1438 7.61 2114 4.03		29 0252 6.74 0830 4.54 TH 1450 6.75 2122 4.58	
15 0215 8.30 0836 2.65 FR 1440 8.45 2058 3.07		30 0259 7.76 0907 3.22 SA 1518 8.06 2138 3.62						15 0201 8.30 0808 2.77 MO 1408 8.70 2034 2.95		30 0221 7.25 0811 3.90 TU 1418 7.40 2043 4.12		15 0341 6.57 0930 4.73 TH 1606 6.78 2334 4.65		30 0405 6.25 0934 5.17 FR 1650 6.24	
		31 0334 6.93 0930 4.04 SU 1557 7.30 2222 4.41								31 0251 6.46 0821 4.68 WE 1443 6.58 2120 4.96					

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

BROOME – WESTERN AUSTRALIA

LAT 18° 00' S LONG 122° 12' E

Times and Heights of High and Low Waters

2027

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0011 4.89 0625 6.19 SA 1327 5.06 1924 6.41		16 0042 4.05 0705 7.28 SU 1336 3.86 1943 7.25		1 0114 4.23 0727 7.18 TU 1409 3.79 2012 7.05		16 0215 3.90 0825 7.69 WE 1503 3.11 2107 7.33		1 0109 4.26 0720 7.22 TH 1416 3.51 2026 6.83		16 0310 4.20 0916 7.27 FR 1547 3.20 2159 7.15		1 0329 3.71 0937 7.90 SU 1613 2.43 2221 7.84		16 0441 3.04 1035 8.24 MO 1656 2.24 2257 8.23	
2 0155 4.48 0817 6.79 SU 1437 4.33 2033 7.02		17 0204 3.69 0815 7.86 MO 1445 3.16 2045 7.74		2 0218 3.84 0824 7.73 WE 1500 3.10 2103 7.55		17 0319 3.60 0920 8.03 TH 1553 2.69 2157 7.67		2 0227 3.94 0833 7.67 FR 1518 2.89 2130 7.34		17 0406 3.66 1006 7.78 SA 1631 2.71 2238 7.65		2 0430 2.82 1027 8.72 MO 1700 1.66 ● 2301 8.61		17 0511 2.47 1103 8.71 TU 1725 1.81 ○ 2322 8.65	
3 0247 3.90 0855 7.50 MO 1515 3.54 2113 7.65		18 0302 3.23 0904 8.42 TU 1533 2.52 2130 8.18		3 0311 3.37 0910 8.31 TH 1545 2.45 2147 8.01		18 0409 3.25 1005 8.33 FR 1635 2.37 2239 7.96		3 0332 3.44 0934 8.24 SA 1614 2.29 2221 7.89		18 0448 3.15 1044 8.24 SU 1709 2.30 ○ 2312 8.05		3 0517 1.96 1109 9.38 TU 1743 1.07 2338 9.24		18 0539 2.01 1130 9.02 WE 1752 1.51 2346 8.97	
4 0325 3.30 0925 8.20 TU 1548 2.77 2145 8.22		19 0348 2.82 0944 8.86 WE 1615 2.04 2211 8.48		4 0358 2.91 0952 8.83 FR 1629 1.92 2230 8.39		19 0451 2.95 1044 8.57 SA ○ 1714 2.15 2315 8.17		4 0430 2.87 1025 8.79 SU 1703 1.77 ● 2306 8.39		19 0524 2.72 1116 8.59 MO 1742 2.00 2342 8.35		4 0600 1.28 1146 9.79 WE 1821 0.72		19 0606 1.66 1154 9.21 TH 1818 1.34	
5 0400 2.76 0954 8.82 WE 1622 2.09 2218 8.69		20 0429 2.53 1019 9.14 TH 1651 1.76 ○ 2247 8.65		5 0442 2.51 1032 9.23 SA 1711 1.57 ● 2310 8.64		20 0528 2.73 1119 8.72 SU 1748 2.04 2350 8.29		5 0519 2.32 1111 9.24 MO 1749 1.39 2348 8.79		20 0556 2.39 1145 8.82 TU 1812 1.80		5 0013 9.66 0638 0.85 TH 1223 9.92 1856 0.65		20 0010 9.19 0631 1.44 FR 1218 9.27 1843 1.29	
6 0433 2.29 1024 9.34 TH 1656 1.55 ● 2250 9.01		21 0504 2.36 1053 9.26 FR 1726 1.66 2321 8.70		6 0524 2.23 1112 9.46 SU 1752 1.42 2351 8.77		21 0601 2.59 1152 8.78 MO 1821 2.03		6 0605 1.88 1154 9.51 TU 1832 1.19		21 0010 8.56 0625 2.16 WE 1214 8.92 1840 1.71		6 0046 9.86 0714 0.74 FR 1258 9.76 1929 0.86		21 0032 9.32 0657 1.35 SA 1243 9.21 1906 1.37	
7 0507 1.97 1054 9.69 FR 1730 1.24 2324 9.16		22 0537 2.31 1125 9.24 SA 1758 1.72 2355 8.64		7 0605 2.09 1153 9.50 MO 1833 1.48		22 0022 8.34 0632 2.56 TU 1223 8.74 1851 2.11		7 0028 9.07 0648 1.60 WE 1234 9.56 1913 1.19		22 0035 8.70 0652 2.04 TH 1240 8.93 1906 1.71		7 0119 9.79 0746 0.96 SA 1332 9.33 1959 1.32		22 0056 9.34 0721 1.42 SU 1308 9.00 1930 1.62	
8 0541 1.81 1126 9.85 SA 1803 1.17 2358 9.13		23 0607 2.38 1156 9.11 SU 1828 1.91		8 0031 8.77 0646 2.12 TU 1235 9.36 1915 1.71		23 0052 8.32 0701 2.60 WE 1252 8.61 1920 2.25		8 0107 9.20 0729 1.54 TH 1315 9.39 1950 1.39		23 0100 8.77 0718 2.01 FR 1306 8.84 1931 1.81		8 0152 9.45 0818 1.48 SU 1407 8.69 2027 2.00		23 0120 9.20 0745 1.67 MO 1335 8.63 1952 2.04	
9 0614 1.86 1200 9.79 SU 1838 1.37		24 0027 8.48 0636 2.56 MO 1227 8.86 1857 2.21		9 0114 8.66 0729 2.30 WE 1319 9.02 1957 2.07		24 0121 8.25 0730 2.72 TH 1322 8.41 1949 2.46		9 0145 9.15 0807 1.72 FR 1355 9.00 2026 1.79		24 0126 8.77 0745 2.09 SA 1333 8.62 1956 2.04		9 0225 8.87 0849 2.21 MO 1442 7.88 ● 2054 2.80		24 0145 8.88 0811 2.11 TU 1403 8.08 2015 2.61	
10 0033 8.92 0646 2.10 MO 1235 9.50 1913 1.80		25 0059 8.24 0704 2.84 TU 1258 8.53 1926 2.58		10 0158 8.45 0813 2.62 TH 1406 8.55 2041 2.53		25 0151 8.13 0800 2.91 FR 1354 8.12 2018 2.73		10 0224 8.91 0845 2.11 SA 1437 8.42 2101 2.35		25 0152 8.65 0811 2.29 SU 1401 8.28 2022 2.39		10 0258 8.11 0921 3.08 TU 1519 7.02 2120 3.68		25 0213 8.40 0837 2.72 WE 1435 7.38 ● 2040 3.30	
11 0112 8.54 0722 2.54 TU 1314 8.99 1951 2.40		26 0131 7.94 0732 3.19 WE 1330 8.12 1957 3.01		11 0245 8.17 0900 3.02 FR 1458 7.99 ● 2129 3.03		26 0222 7.96 0831 3.17 SA 1429 7.75 2050 3.07		11 0303 8.49 0926 2.68 SU 1521 7.73 ● 2138 3.03		26 0220 8.40 0839 2.63 MO 1433 7.80 2048 2.87		11 0334 7.28 1000 3.98 WE 1612 6.17 2154 4.54		26 0244 7.78 0909 3.49 TH 1515 6.57 2110 4.10	
12 0156 8.05 0801 3.11 WE 1400 8.33 2035 3.08		27 0206 7.61 0803 3.59 TH 1405 7.67 2031 3.45		12 0337 7.85 0957 3.44 SA 1559 7.43 2224 3.51		27 0257 7.72 0907 3.48 SU 1509 7.31 ● 2127 3.48		12 0347 7.94 1012 3.32 MO 1614 7.01 2221 3.73		27 0250 8.04 0911 3.10 TU 1510 7.21 ● 2119 3.45		12 0439 6.47 1234 4.61 TH 1854 5.68		27 0327 7.02 1007 4.33 FR 1651 5.79 2230 4.93	
13 0247 7.53 0852 3.75 TH 1458 7.61 ● 2136 3.73		28 0245 7.27 0840 4.02 FR 1449 7.18 ● 2114 3.89		13 0438 7.56 1107 3.76 SU 1715 7.01 2332 3.87		28 0337 7.45 0952 3.81 MO 1601 6.86 2213 3.90		13 0442 7.36 1123 3.90 TU 1733 6.43 2333 4.35		28 0327 7.58 0952 3.66 WE 1600 6.56 2201 4.10		13 0114 5.08 0751 6.23 FR 1459 4.15 2125 6.31		28 0541 6.36 1353 4.27 SA 2039 6.14	
14 0354 7.10 1008 4.28 FR 1621 7.05 2307 4.11		29 0333 6.95 0931 4.42 SA 1551 6.74 2213 4.26		14 0553 7.39 1233 3.81 MO 1842 6.86		29 0430 7.18 1101 4.09 TU 1723 6.51 2325 4.25		14 0605 6.91 1315 4.06 WE 1926 6.25		29 0421 7.06 1124 4.19 TH 1753 6.05 2354 4.63		14 0324 4.45 0927 6.90 SA 1550 3.44 2201 7.05		29 0212 4.60 0839 6.92 SU 1519 3.34 2134 7.18	
15 0526 6.96 1157 4.33 SA 1810 6.92		30 0439 6.75 1057 4.64 SU 1723 6.50 2345 4.42		15 0053 4.02 0714 7.44 TU 1400 3.54 2003 7.01		30 0552 7.05 1258 3.99 WE 1903 6.50		15 0131 4.54 0754 6.87 TH 1448 3.72 2104 6.61		30 0620 6.74 1349 3.95 FR 2012 6.25		15 0407 3.71 1005 7.63 SU 1625 2.79 2230 7.69		30 0335 3.55 0939 7.96 MO 1607 2.34 2211 8.20	
		31 0607 6.80 1258 4.39 MO 1900 6.64								31 0201 4.40 0820 7.10 SA 1513 3.25 2133 7.00				31 0423 2.43 1019 8.90 TU 1647 1.49 2245 9.09	

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+08:00)

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

BROOME – WESTERN AUSTRALIA

LAT 18° 00' S LONG 122° 12' E

Times and Heights of High and Low Waters

2027

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0504 1.45 1056 9.59 WE 1725 0.87 ● 2317 9.76		16 0513 1.76 1104 9.12 TH 1724 1.50 ○ 2316 9.31		1 0519 0.62 1108 9.84 FR 1732 0.88 2320 10.29		16 0509 1.33 1102 9.20 SA 1718 1.61 2306 9.69		1 0600 0.95 1151 9.20 MO 1809 1.82 2356 9.69		16 0545 1.19 1142 9.00 TU 1756 2.02 2342 9.67		1 0618 1.69 1217 8.64 WE 1829 2.53		16 0616 1.38 1216 8.92 TH 1830 2.16	
2 0543 0.74 1130 9.99 TH 1800 0.54 2348 10.16		17 0540 1.34 1129 9.35 FR 1749 1.28 2339 9.58		2 0552 0.37 1139 9.87 SA 1803 0.91 2349 10.31		17 0537 1.03 1129 9.33 SU 1746 1.51 2332 9.84		2 0630 1.27 1224 8.90 TU 1838 2.17		17 0619 1.30 1216 8.88 WE 1830 2.18		2 0018 9.04 0649 1.97 TH 1251 8.45 1900 2.78		17 0017 9.55 0657 1.47 FR 1255 8.95 1912 2.20	
3 0617 0.36 1202 10.07 FR 1831 0.52		18 0605 1.06 1154 9.44 SA 1815 1.21		3 0623 0.46 1210 9.66 SU 1832 1.18		18 0605 0.94 1157 9.28 MO 1814 1.59 2359 9.81		3 0027 9.28 0659 1.77 WE 1257 8.46 1905 2.65		18 0015 9.48 0654 1.63 TH 1254 8.61 1905 2.51		3 0050 8.72 0719 2.33 FR 1324 8.19 1930 3.10		18 0058 9.35 0736 1.73 SA 1335 8.85 1953 2.40	
4 0019 10.28 0650 0.34 SA 1234 9.87 1900 0.79		19 0001 9.72 0631 0.97 SU 1218 9.38 1839 1.31		4 0019 10.06 0652 0.83 MO 1241 9.23 1859 1.66		19 0633 1.10 1226 9.06 TU 1841 1.86		4 0057 8.72 0727 2.39 TH 1330 7.94 1932 3.23		19 0053 9.09 0730 2.13 FR 1334 8.23 1944 2.97		4 0122 8.32 0748 2.75 SA 1357 7.90 2000 3.48		19 0140 8.98 0815 2.13 SU 1418 8.64 2036 2.73	
5 0049 10.11 0720 0.67 SU 1306 9.41 1928 1.30		20 0025 9.71 0656 1.08 MO 1245 9.15 1902 1.59		5 0048 9.57 0719 1.45 TU 1312 8.63 1924 2.30		20 0027 9.57 0701 1.49 WE 1257 8.65 1908 2.32		5 0127 8.08 0754 3.07 FR 1405 7.37 1959 3.86		20 0135 8.52 0812 2.74 SA 1422 7.79 2030 3.52		5 0155 7.86 0819 3.20 SU 1433 7.58 2033 3.88		20 0225 8.44 0857 2.63 MO 1503 8.34 ● 2123 3.16	
6 0118 9.66 0748 1.28 MO 1337 8.74 1953 2.01		21 0050 9.52 0721 1.42 TU 1312 8.74 1926 2.06		6 0116 8.87 0745 2.23 WE 1343 7.90 1946 3.06		21 0058 9.11 0730 2.09 TH 1331 8.07 1937 2.94		6 0159 7.39 0826 3.76 SA 1449 6.82 ● 2031 4.50		21 0226 7.84 0901 3.38 SU 1519 7.38 ● 2131 4.05		6 0232 7.35 0855 3.67 MO 1515 7.25 ● 2116 4.29		21 0315 7.81 0941 3.21 TU 1555 7.98 2218 3.62	
7 0147 8.97 0815 2.10 TU 1407 7.93 2015 2.85		22 0116 9.11 0746 1.97 WE 1342 8.13 1950 2.69		7 0143 8.06 0810 3.10 TH 1414 7.12 ● 2006 3.87		22 0130 8.46 0803 2.86 FR 1412 7.38 2012 3.70		7 0244 6.69 0911 4.41 SU 1558 6.37 2138 5.08		22 0332 7.19 1013 3.90 MO 1636 7.14 2303 4.29		7 0322 6.84 0940 4.13 TU 1609 6.97 2219 4.63		22 0417 7.18 1036 3.77 WE 1700 7.63 2338 3.94	
8 0215 8.12 0840 3.04 WE 1438 7.04 ● 2034 3.74		23 0145 8.51 0813 2.71 TH 1414 7.37 ● 2015 3.46		8 0208 7.20 0835 3.99 FR 1454 6.34 2021 4.69		23 0212 7.64 0846 3.71 SA 1512 6.68 ● 2105 4.49		8 0426 6.15 1133 4.82 MO 1752 6.27		23 0511 6.81 1146 4.09 TU 1812 7.25		8 0438 6.41 1050 4.50 WE 1726 6.85		23 0545 6.74 1155 4.20 TH 1823 7.46	
9 0242 7.21 0905 4.00 TH 1516 6.15 2047 4.63		24 0216 7.75 0845 3.60 FR 1458 6.52 2047 4.33		9 0237 6.34 0918 4.84 SA 1646 5.73 2031 5.48 2257 5.52		24 0320 6.79 1020 4.43 SU 1706 6.33 2338 4.87		9 0110 4.99 0705 6.22 TU 1328 4.53 1952 6.75		24 0046 4.03 0659 6.94 WE 1315 3.92 1933 7.70		9 0027 4.62 0630 6.33 TH 1241 4.55 1856 7.03		24 0117 3.88 0726 6.70 FR 1330 4.28 1948 7.57	
10 0318 6.28 1000 4.93 FR 1757 5.48 1925 5.46 2236 5.52		25 0302 6.85 0951 4.53 SA 1659 5.81 2315 5.15		10 0214 5.48 0633 5.84 SU 1415 4.69 2051 6.27		25 0557 6.46 1301 4.26 MO 1930 6.85		10 0225 4.30 0822 6.79 WE 1426 4.02 2036 7.40		25 0211 3.39 0815 7.40 TH 1426 3.53 2032 8.26		10 0155 4.11 0800 6.68 FR 1356 4.26 2004 7.47		25 0241 3.45 0848 7.04 SA 1453 4.01 2100 7.91	
11 0237 5.34 0823 5.95 SA 1501 4.37 2130 6.34		26 0600 6.23 1358 4.30 SU 2030 6.47		11 0258 4.67 0845 6.56 MO 1458 4.00 2110 7.03		26 0149 4.17 0759 7.09 TU 1422 3.56 2032 7.76		11 0302 3.55 0901 7.40 TH 1506 3.50 2109 8.04		26 0307 2.69 0908 7.90 FR 1520 3.10 2119 8.75		11 0249 3.45 0856 7.18 SA 1452 3.82 2055 8.02		26 0339 2.93 0946 7.52 SU 1552 3.58 2152 8.32	
12 0326 4.49 0920 6.79 SU 1536 3.61 2146 7.11		27 0224 4.41 0836 7.05 MO 1504 3.34 2114 7.55		12 0322 3.87 0915 7.31 TU 1527 3.35 2131 7.75		27 0253 3.14 0854 7.91 WE 1512 2.83 2113 8.63		12 0335 2.82 0934 7.95 FR 1541 2.99 2138 8.62		27 0353 2.11 0952 8.31 SA 1605 2.75 2200 9.10		12 0333 2.78 0940 7.70 SU 1540 3.34 2138 8.56		27 0425 2.46 1030 7.96 MO 1639 3.17 2235 8.68	
13 0353 3.68 0948 7.57 MO 1604 2.92 2207 7.82		28 0322 3.24 0923 8.08 TU 1545 2.40 2146 8.58		13 0347 3.11 0943 7.97 WE 1555 2.77 2154 8.39		28 0337 2.19 0934 8.61 TH 1553 2.23 2148 9.32		13 0407 2.17 1005 8.42 SA 1615 2.56 2208 9.11		28 0433 1.72 1031 8.58 ● SU 1646 2.50 2237 9.30		13 0415 2.19 1020 8.16 MO 1625 2.89 2219 9.03		28 0505 2.11 1108 8.31 ● TU 1719 2.83 2312 8.93	
14 0419 2.95 1014 8.23 TU 1630 2.33 2230 8.42		29 0404 2.12 1000 8.95 WE 1624 1.63 2219 9.42		14 0414 2.41 1009 8.51 TH 1622 2.27 2218 8.95		29 0417 1.46 1012 9.08 FR 1630 1.82 ● 2222 9.76		14 0439 1.65 1037 8.76 SU 1648 2.22 ○ 2238 9.47		29 0511 1.54 1108 8.72 MO 1723 2.39 2312 9.35		14 0456 1.74 1059 8.53 TU 1708 2.52 ○ 2259 9.37		29 0542 1.90 1142 8.55 WE 1755 2.60 2345 9.07	
15 0446 2.30 1039 8.75 WE 1658 1.85 2253 8.92		30 0443 1.22 1035 9.54 TH 1700 1.11 ● 2250 9.99		15 0441 1.80 1035 8.93 FR 1650 1.87 ○ 2242 9.38		30 0454 1.01 1045 9.32 SA 1706 1.62 2254 9.96		15 0512 1.31 1109 8.96 MO 1722 2.03 2309 9.67		30 0545 1.54 1144 8.73 TU 1757 2.40 2345 9.26		15 0536 1.47 1137 8.78 WE 1749 2.27 2338 9.55		30 0615 1.81 1214 8.68 TH 1827 2.49	
				31 0528 0.84 1119 9.35 SU 1739 1.63 2325 9.93										31 0015 9.08 0645 1.84 FR 1244 8.72 1857 2.49	

© Copyright Commonwealth of Australia 2026, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC+08:00)

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

Conditions of Use

- 1) Disclaimer, Attribution and Copyright acknowledgement
 - a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”
 - b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

 - (i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and
 - (ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”
- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.